

ABERDEEN LIFTING SERVICES LTD

CERTIFICATE OF TEST, EXAMINATION AND INSPECTION REPORT

Provision and use of Work Equipment Regulations-SI 2306

Lifting Operations and Lifting Equipment Regulations- SI 2307



CLIENT:	BLUE MANTA 6 KIRKTON AVENUE PITMEDDEN RD IND EST DYCE ABERDEEN AB21 0BF	TEST HOUSE:	ABERDEEN LIFTING SERVICES LTD HOWE MOSS CRESCENT KIRKHILL INDUSTRIAL ESTATE, DYCE ABERDEEN AB21 0GN TEL: 01224 723333 FAX: 01224 723311
P.O. NO:	19734	REQUISITION NO:	
CERT NO:	F9335-01	INSPECTION DATE:	06/02/2015

SERIAL NO:	QTY	DESCRIPTION	SWL/PAYLOAD	PROOF LOAD
BM-SB-356	1	SPREADER BEAM IN ACCORDANCE WITH DNV2.22 900MM x 170MM x 390MM APPROX ALL WELDED STEEL CONSTRUCTION C/W 1 TOP MOUNTED LIFTING POINT & 3 BOTTOM HANG OFF POINTS	24 TONNE	35 TONNE

M.P.I INSPECTION DETAILS

PROCEDURE:	ALNDT.01A REV 03	EQUIPMENT:	Y6 YOKE	METHOD:	WET CONTINUOUS
SPECIFICATION:	ASTME1444/E1444 M-11	MEDIA:	NPT 16 WHITE PAINT	INSPECTOR:	D.CRAIG
MATERIAL:	WELDED CARBON STEEL	INDICATOR:	BLACK INK	QUALS:	SN'T 11


RESULTS: A MAGNETIC PARTICLE INSPECTION WAS CARRIED OUT ON LIFTING POINT WELDMENTS. ON THE EQUIPMENT NO CRACK OR CRACKLIKE INDICATIONS WERE NOTED AT TIME OF INSPECTION.

DECLARATION: I HEREBY DECLARE THAT THE ABOVE INFORMATION IS CORRECT AND THE EQUIPMENT HAS BEEN TESTED AND THOROUGHLY EXAMINED IN ACCORDANCE WITH THE APPROPRIATE PROVISIONS AND IS FREE FROM DEFECTS AFFECTING SAFETY.

	COMPLETED BY
ENGINEER	D.CRAIG
SIGNATURE	
DATE	06/02/2015

NEXT INSPECTION DATE:
05/08/2015

DATE OF MANUFACTURE:
UNKNOWN



QF25

ABERDEEN LIFTING SERVICES LTD



MAGNETIC PARTICLE INSPECTION REPORT

CUSTOMER: BLUE MANTA	LOCATION: ALS YARD
P.O. No: 19734	CERT No: F9335-02
JOB No:	DATE OF INSP: 06/02/2015

JOB DESCRIPTION:

100% MAGNETIC PARTICLE INSPECTION CARRIED OUT POST LOAD TEST ON ALL ACCESSIBLE WELDS

ITEM: SPREADER BEAM	
QUANTITY: 1	SURFACE: AS WELDED
SERIAL No: BM-SB-356	EQUIPMENT: Y6 YOKE
DRG. No:	MEDIA: NPT 16 WHITE PAINT
MATERIAL: CARBON STEEL	INDICATOR: BLACK INK
PROCEDURE: WI ALNDT.01A REV03	METHOD: WET CONTINUOUS
SPECIFICATION: ASTM E1444/E1444M-11	

RESULTS: NO CRACK OR CRACKLIKE INDICATIONS ARE NOTED AT TIME OF INSPECTION.

	COMPLETED BY
ENGINEER/TECHNICIAN	D.CRAIG
SIGNATURE	<i>PP 4/11/2015</i>
DATE	06/02/2015

ABERDEEN LIFTING SERVICES LTD

CERTIFICATE OF VISUAL EXAMINATION REPORT

Provision and use of Work Equipment Regulations-SI 2306
Lifting Operations and Lifting Equipment Regulations- SI 2307



CLIENT:	BLUE MANTA 6 KIRKTON AVENUE PITMEDDEN RD IND EST DYCE ABERDEEN AB21 0BF	TEST HOUSE:	ABERDEEN LIFTING SERVICES HOWE MOSS CRESCENT KIRKHILL INDUSTRIAL ESTATE DYCE ABERDEEN AB21 0GN TEL: 01224 723333 FAX 01224 723311
P.O. No:	19734	REQUISITION No:	
CERT No:	F9335-03	INSPECTION DATE:	13/02/2015

SERIAL No:	QTY	DESCRIPTION	SWL/PAYLOAD
356/7-9	3	POLAR JAW END SWIVEL	8.16 TONNE

PREVIOUS TEST DETAILS

UNIT TESTED BY:	CROSBY	CERT No:	CC4-201502130044	DATE:	12/02/2015
SLING TESTED BY:		CERT No:		DATE:	

DECLARATION: I HEREBY DECLARE THAT THE ABOVE INFORMATION IS CORRECT AND THE EQUIPMENT HAS BEEN TESTED AND THOROUGHLY EXAMINED IN ACCORDANCE WITH THE APPROPRIATE PROVISIONS AND IS FREE FROM DEFECTS AFFECTING SAFETY.

	COMPLETED BY
ENGINEER	D.CRAIG
SIGNATURE	<i>PP 4H e Craig</i>
DATE	13/02/2015

NEXT INSPECTION DATE: 12/08/2015
DATE OF MANUFACTURE: UNKNOWN

CLIENT: BLUE MANTA 6 KIRKTON AVENUE PITMEDDEN RD IND EST DYCE ABERDEEN AB21 0BF	TEST HOUSE: ABERDEEN LIFTING SERVICES LTD HOWE MOSS CRESCENT KIRKHILL INDUSTRIAL ESTATE ABERDEEN AB21 0GN TEL: 01224 723333 FAX: 01224 723311
P.O. No: 19734	REQUISITION No:
CERT No: F9335-04	INSPECTION DATE: 13/02/2015

SERIAL No.	QTY	DESCRIPTION	SWL/ PAYLOAD	PROOF LOAD
356/1	1	SAFETY PIN BOW SHACKLE (POLAR)	25 TON	50 TON

Declaration: I hereby declare that the above information is correct and the equipment has been tested and thoroughly examined in accordance with the appropriate provisions and is free from defects affecting safety.

	COMPLETED BY:
ENGINEER.	D.CRAIG
SIGNATURE.	<i>D. Craig</i>
DATE.	13/02/2015

NEXT INSPECTION DATE:
12/08/2015

DATE OF MANUFACTURE:
UNKNOWN

CLIENT: BLUE MANTA 6 KIRKTON AVENUE PITMEDDEN RD IND EST DYCE ABERDEEN AB21 0BF	TEST HOUSE: ABERDEEN LIFTING SERVICES LTD HOWE MOSS CRESCENT KIRKHILL INDUSTRIAL ESTATE ABERDEEN AB21 0GN TEL: 01224 723333 FAX: 01224 723311
P.O. No: 19734	REQUISITION No:
CERT No: F9335-05	INSPECTION DATE: 13/02/2015

SERIAL No.	QTY	DESCRIPTION	SWL/ PAYLOAD	PROOF LOAD
356/2-3	2	SAFETY PIN BOW SHACKLE (POLAR)	8.5 TON	17 TON

	COMPLETED BY:
ENGINEER.	D.CRAIG
SIGNATURE.	<i>D Craig</i>
DATE.	13/02/2015

DATE OF MANUFACTURE:
UNKNOWN

CLIENT: BLUE MANTA 6 KIRKTON AVENUE PITMEDDEN RD IND EST DYCE ABERDEEN AB21 0BF	TEST HOUSE: ABERDEEN LIFTING SERVICES LTD HOWE MOSS CRESCENT KIRKHILL INDUSTRIAL ESTATE ABERDEEN AB21 0GN TEL: 01224 723333 FAX: 01224 723311
P.O. No: 19734	REQUISITION No:
CERT No: F9335-06	INSPECTION DATE: 13/02/2015

SERIAL No.	QTY	DESCRIPTION	SWL/ PAYLOAD	PROOF LOAD
356/4-6	3	SAFETY PIN BOW SHACKLE (POLAR)	2 TON	4 TON

Declaration: I hereby declare that the above information is correct and the equipment has been tested and thoroughly examined in accordance with the appropriate provisions and is free from defects affecting safety.

	COMPLETED BY:
ENGINEER.	D.CRAIG
SIGNATURE.	<i>PP. YHC Craig</i>
DATE.	13/02/2015

NEXT INSPECTION DATE:
12/08/2015

DATE OF MANUFACTURE:
UNKNOWN

P.O. Box 57, 3360 AB Sliedrecht
Industrieweg 6, 3361 HJ Sliedrecht
The Netherlands
Tel. +31 184 41 33 00
Fax. +31 184 41 49 59
email: sales@vanbeest.nl
www.vanbeest.nl



Brierley Lifting Tackle Co
Timmis Road, Lye
DY9 7BQ Stourbridge, West Midlands
United Kingdom

INSPECTION CERTIFICATE TO EN 10204 - TYPE 3.1

Number 80098152 Date 27.01.2015
Customer no. 30191 Page 2 / 7

Our order no.	Your ref. no.
143649	10105

Qty.	Description
50	POGHMB25 G-5163, Green Pin® Polar Shackles, bow shackles with safety bolt, for use under extreme climatic conditions, to EN13889, hot dipped galvanized, grade 8, diameter bow 25 mm, diameter pin 28 mm, WLL 8.5 ton

Material properties

Material properties											
Line	Charge no.	Yieldpoint (N/mm2)	Tensile Strength (N/mm2)	Elong- ation (%)	Impact test type: Charpy V (Joules)				Item	Traceability	
					temp (°C)	1	2	3	Avg		
1	6614030526	780	910	14	-40	109	109	118	112	Bow	AJ
2	6614050365	912	984	17	-40	95	94	97	95	Pin	AZ

Chemical composition

Line	C %	Si %	Mn %	P %	S %	Cr %	Mo %	Ni %	V %	Cu %	Al %
1	0.360	0.220	0.570	0.013	0.004	0.960	0.170	0.050		0.110	0.045
2	0.340	0.210	0.570	0.015	0.004	0.960	0.170				0.028

J.J. Vermeulen (QA-Manager)



VAN BEEST B.V., manufacturer and supplier of wire rope and chain fittings.

Registered trade marks "Green Pin" and "Excel". Member of Van Beest International.

Rabobank IBAN code: NL86RABO0359343155, SWIFT/BIC code: RABONL2U

VAT number NL 0091.33.835.B01, Chamber of Commerce Rotterdam - No. 23009317. All our offers and contracts are subject to our General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.

Form : KF-10-16E

Issue date: 27.01.2015

P.O. Box 57, 3360 AB Sliedrecht
 Industrieweg 8, 3361 HJ Sliedrecht
 The Netherlands
 Tel. +31 184 41 33 00
 Fax. +31 184 41 49 59
 email: sales@vanbeest.nl
 www.vanbeest.nl



George Taylor & Company Ltd.
 Brickyard Road
 WS9 8SR Aldridge
 United Kingdom

INSPECTION CERTIFICATE TO EN 10204 - TYPE 3.1

Number 80071021 Date 10.06.2013
 Customer no. 30576 Page 11 / 13

Our order no.	Your ref. no.
105509	51793

Qty.	Description
20	POGHMB13 G-5163, Green Pin® Polar Shackles, bow shackles with safety bolt, for use under extreme climatic conditions, hot dipped galvanized, diameter bow 13.5 mm, diameter pin 16 mm, WLL 2 ton

Material properties

Line	Charge no.	Yieldpoint (N/mm ²)	Tensile Strength (N/mm ²)	Elong- ation (%)	Impact test type: Charpy V (Joules)					Item	Traceability
					temp (°C)	1	2	3	Avg		
1	6611090318	990	1080	17	-40	92	88	98	93	Bow	Z 8 GP
2	6611060684	800	910	16	-40	56	49	59	55	Pin	GP 8 AP

Chemical composition

Line	C %	Si %	Mn %	P %	S %	Cr %	Mo %	Ni %	V %	Cu %		
1	0.350	0.230	0.610	0.013	0.005	1.000	0.190	0.100		0.130		
2	0.340	0.240	0.580	0.011	0.009	0.970	0.180					

J.J. Vermeulen (QA-Manager)



VAN BEEST B.V., manufacturer and supplier of wire rope and chain fittings.

Registered trade marks "Green Pin" and "Excel". Member of Van Beest International.

Rabobank account nr. 35 93 43 155, IBAN code: NL86RABO0359343155, SWIFT/BIC code: RABONL2U

VAT number NL 0091.33.835.801. Chamber of Commerce Rotterdam - No. 23009317. All our offers and contracts are subject to our General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.

Form : KF-10-16E

Issue date: 10.06.2013

P.O. Box 57, 3360 AB Sliedrecht
 Industrieweg 6, 3361 HJ Sliedrecht
 The Netherlands
 Tel. + 31 184 41 33 00
 Fax. + 31 184 41 49 59
 email: sales@vanbeest.nl
 www.vanbeest.nl



Brierley Lifting Tackle Co
 Timmis Road, Lye
 DY9 7BQ Stourbridge, West Midlands
 United Kingdom

INSPECTION CERTIFICATE TO EN 10204 - TYPE 3.1

Number 80076052 Date 03.10.2013
 Customer no. 30191 Page 32 / 35

Our order no.	Your ref. no.
113108	8292

Qty.	Description
100	POGHMB13 G-5163, Green Pin® Polar Shackles, bow shackles with safety bolt, for use under extreme climatic conditions, hot dipped galvanized, diameter bow 13.5 mm, diameter pin 16 mm, WLL 2 ton

Material properties

Line	Charge no.	Yieldpoint (N/mm ²)	Tensile Strength (N/mm ²)	Elongation (%)	Impact test type: Charpy V (Joules)				Item	Traceability
					temp (°C)	1	2	3	Avg	
	6613020401	936	995	16	-40				61	Bow AE
	6612040189	800	910	16	-40				94	Pin AS

Chemical composition

Line	C %	Si %	Mn %	P %	S %	Cr %	Mo %	Ni %	V %	Cu %	Al %
	0.360	0.210	0.550	0.009	0.005	0.960	0.150	0.080		0.130	0.027
	0.340	0.240	0.580	0.011	0.009	0.970	0.180				

J.J. Vermeulen (QA-Manager)



VAN BEEST B.V., manufacturer and supplier of wire rope and chain fittings.

Registered trade marks "Green Pin" and "Excel". Member of Van Beest International.

Rabobank account nr. 35 93 43 155, IBAN code: NL86RABO0350343155, SWIFT/BIC code: RABONL2U

VAT number NL 0091.33.835.801, Chamber of Commerce Rotterdam - No. 23009317. All our offers and contracts are subject to our General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.

Form : KF-10-16E

Issue date: